

IEEE Search:

server <near/5> load <near/5> (exceed* or greater or above or excess or higher) <near/5> (threshold or maximum)
(load <near/4> balanc*) or ((resource or bandwidth) <near/5> allocat*)
(load <near/4> balanc*) or ((resource or bandwidth) <near/5> allocat*) and "early packet discard"
(load <near/4> balanc*) or ((resource or bandwidth) <near/5> allocat*) <near/5> server
((load <near/4> balanc*) or ((resource or bandwidth) <near/5> allocat*)) <near/6> server and (threshold or maximum or limit)
((load <near/4> balanc*) or ((resource or bandwidth) <near/5> allocat*) <near/5> server) and "early packet discard"
((load <near/4> balanc*) or ((resource or bandwidth) <near/5> allocat*) <near/5> server) and (discard* or refus* or reject*)
((load <near/4> balanc*) or ((resource or bandwidth) <near/5> allocat*) <near/5> server) and (overflow* or overload*)
((load <near/4> balanc*) or ((resource or bandwidth) <near/5> allocat*) <near/5> server) and (overflow* or overload*) and (threshold or limit or maximum)
(bandwidth or load or resource) <near/5> (host or server or headend or "head end") <near/5> (maximum or threshold or limit)
(server) <near/5> receiving <near/5> capacity

Google.com Search

server "receiving capacity"
server threshold load discard capacity
server threshold load discard capacity client exceed
upstream overload discard bandwidth server

	L #	Hits	Search Text	DBs
1	L8	6055	(load near2 balanc\$3).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	L9	31	server near4 load near5 exceed\$4 near5 (threshold or maximum)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	L10	156	server with (request or load) near5 exceed\$4 near5 (threshold or maximum)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	L11	63	client with (request or load) near5 exceed\$4 near5 (threshold or maximum)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	L12	38	10 and 11	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	L13	0	12 and 8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	L14	12	12 and (@ad<20000113 or @prad<20000113)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	L15	44	server near4 load near5 (exceed\$4 or greater or above or excess) near5 (threshold or maximum)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	L16	70	server with load near5 (exceed\$4 or greater or above or excess or higher) near5 (threshold or maximum)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	L17	3	16 same (refus\$3 or prevent\$4 or reject\$3 or discard\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	L18	88	server with load with (exceed\$4 or greater or above or excess or higher) near5 (threshold or maximum)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	L19	1082 0	(load or ((number or amount) near3 request)) with (exceed\$4 or greater or above or excess or higher) near5 (threshold or maximum)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
13	L20	216	19 same server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	L21	14	20 same (refus\$3 or prevent\$4 or reject\$3 or discard\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	L22	1109 2	(load or ((number or amount) near3 (request or session or connection))) with (exceed\$4 or greater or above or excess or higher) near5 (threshold or maximum)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	L23	254	22 same server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	L24	20	23 same (refus\$3 or prevent\$4 or reject\$3 or discard\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	L25	79	23 and load.ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	L26	33	25 and (@ad<20000113 or @prad<20000113)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	L27	22	23 same (deny or denied or refus\$3 or prevent\$4 or reject\$3 or discard\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	L28	2	27 not 24	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	L29	1192 33	overload\$3 or connection with (threshold or maximum)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	L30	2971	29 same (server or host or headend)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	L31	1156	30 and (709/\$.ccls. or 725/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	L32	516	30 same (deny or denied or refus\$3 or prevent\$4 or reject\$3 or discard\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	L33	357	32 and (load or server or host or headend).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
27	L34	186	33 and (@ad<20000113 or @prad<20000113)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	L35	68	34 and bandwidth	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	L36	18	34 and bandwidth with connection	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	L37	155	overload\$3 with preven\$3 with (server or host)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	L38	0	37 and 725/95,96.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	L39	151	725/95,96.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	L40	85	39 and (@ad<20000113 or @prad<20000113)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	L41	64	40 and (load or bandwidth or overload)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	L42	49	40 and (load or bandwidth or overload) same (server or headend or host)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	L43	85228	(connection or load or session) near5 (limit or maximum or threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
37	L44	855	43 with (server or host or headend)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
38	L45	395	44 and (709/\$.ccls. or 725/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
39	L46	99	44 same (deny or denied or refus\$3 or prevent\$4 or reject\$3 or discard\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
40	L47	52	46 and (709/\$.ccls. or 725/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	L48	13	47 and (@ad<20000113 or @prad<20000113)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	L49	22	725/95,96.ccls. and 709/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
43	L50	18	49 and (@ad<20000113 or @prad<20000113)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
44	L51	134	early adj packet adj discard	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
45	L52	4	51 and server with (load or threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
46	L53	38	51 and server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
47	L54	19	51 same server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
48	L55	2	54 and (@ad<20000113 or @prad<20000113)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
49	L56	0	6360270.pn. and priority	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
50	L57	16	(connection or load or session) near5 (limit or maximum or threshold) with (server or host) near5 bandwidth	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
51	L58	1164 4	((load near2 balanc\$4) or (bandwidth or resource) near2 allocat\$4).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	L59	4284 2	(maximum or limit or threshold) near5 (bandwidth or connection or session)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
53	L60	9433	(client or workstation or subscriber or user) near5 bandwidth	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
54	L61	259	58 and 59 and 60	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
55	L62	93	58 and 59 same 60	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
56	L63	47	62 and (@ad<20000113 or @prad<20000113)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
57	L64	67	62 and (709/\$.ccls. or 725/\$.ccls. or 370/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
58	L65	35	63 and 64	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
59	L66	4	6469991.URPN.	USPAT
60	L67	4	("5181200" "5335357" "5539729" "5721762").PN.	USPAT
61	L68	4	("5349580" "5351240" "5548579" "5966163").PN.	USPAT
62	L69	0	6434164.URPN.	USPAT
63	L70	37	overload.ti. and server.ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
64	L71	18	70 and (@ad<20000113 or @prad<20000113)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
1	L2	8908	server near6 load	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
2	L3	1590	(server near6 load).ti,ab.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
3	L4	95	3 and load near5 (maximum or threshold)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
4	L5	45	4 and (@ad<20000113 or @prad<20000113)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
5	L6	507	load near balanc\$3 and (range) near4 load	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
6	L7	523	load near balanc\$3 and (range or margin) near4 load	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
7	L8	112	load near balanc\$3 and (range or margin) near4 load near4 (above or below or exceed or within)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
8	L9	76	8 and (@ad<20000113 or @prad<20000113)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
9	L10	35	(load near balanc\$3).ti,ab,clm. and (range or margin) near4 load near4 (above or below or exceed or within)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
10	L11	20	10 and (@ad<20000113 or @prad<20000113)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
11	L12	17591	load near2 balanc\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
12	L13	3467	server near4 capacity	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
13	L14	44919	(threshold or maximum or guarantee or shaper) near6 (load or traffic)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
14	L15	143	12 and 13 and 14	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
15	L16	43	15 and (@ad<20000113 or @prad<20000113)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
16	L17	40	13 same 14	USPAT; US-PGPUB; EPO; JPO; IBM_TDB

	L #	Hits	Search Text	DBs
17	L18	8396	server near4 (capacity or capability)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
18	L19	40	13 same 14	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
19	L20	24	12 and 19	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
20	L21	6	20 and (@ad<20000113 or @prad<20000113)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
21	L22	74	set near5 (threshold or maximum) near5 load with (less or lower or below) near5 (maximum or capacity or capability)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
22	L23	5	set near5 (threshold) with (less or lower or below) near5 (maximum or capacity or capability) near5 load	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
23	L24	5	set near5 (threshold) with (less or lower or below) near5 (maximum or capacity or capability) with load	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
24	L25	7	(threshold) with (less or lower or below) near5 (maximum) near5 (capacity or capability) with load	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
25	L26	48	(threshold) with (less or lower or below) near5 (capacity or capability) with load	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
26	L27	113	(threshold) with (less or lower or below) with (capacity or capability) with load	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
27	L28	6	27 with server	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
28	L29	41793 8	(load or traffic).ti,ab.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
29	L30	26717 7	(network or server).ti,ab.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB

	L #	Hits	Search Text	DBs
30	L31	201605	(below or above or exceed or less or lower or higher or pass or under) near4 threshold	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
31	L32	15835	(capacity or capability) with server	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
32	L33	160	29 and 30 and 31 and 32	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
33	L34	66	33 and (@ad<20000113 or @prad<20000113)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
34	L35	51	34 and (load or traffic or resource) near3 (balanc\$3 or allocat\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
35	L36	793	threshold adj4 (less or lower or below or under) adj4 maximum	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
36	L37	29	36 with (load or ability or capability or capacity or able)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
37	L38	34	36 with (load or ability or capability or capacity or able or traffic or bandwidth)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
38	L39	61	36 with (load or ability or capability or capacity or able or traffic or bandwidth or bit or byte or megabyte)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
39	L40	34	39 and (@ad<20000113 or @prad<20000113)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
40	L41	49	(load or utilization) near5 (threshold or maximum) and server near5 (utilization or load) and admission near3 control	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
41	L42	24	41 and (@ad<20000113 or @prad<20000113)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB